PTOSB122 (01-6)
Approved for use through 12/31/2008, OMB 655-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Pacemork Reduction Act of 1995, no persons are required to respond to a collection of information unless I displays a valid OMB control number

| Datant Mumber | Da

6.860,886

CHANGE OF		
CORRESPONDENCE ADDRESS	Issue Date	03/01/2005
Patent	Application Number	10/049,448
Address to: Mail Stop Post Issue Commissioner for Patents P.O. Box 1450	Filing Date	02/12/2002
	First Named Inventor	
Alexandria, VA 22313-1450	Attorney Docket Number	1178-2 PCT US
Please change the Correspondence Address for the	above-identified patent to	2
☑ The address associated with Customer Num	nber: 66547	
OR		
Firm or Individual Name		
Address		
City	State	ZIP
Country		
Telephone	Email	
This form cannot be used to change the data associ	ated with a Customer Num	nber. To change the data associated with an

Patent Number

existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).

This form will not affect any "fee address" provided for the above-identified patent. To change a "fee address" use the "Fee Address Indication Form" (PTO/SB/47).

(Patentee.	
[Assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).	
Ţ	Z	Attorney or agent of record. Registration Number 33,494	

I am the:

Signature Typed or Printed Name

(516) 228-3565 10/8/2009 Date Telephone NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms

if more than one signature is required, see below*. forms are submitted.

This collection of information is required by 37 CFR 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete controlling abstracting repurpancy, and subminising the completed application from the USPTO. Time valve system properties when the individual case more manufactured or the amount of time you require to complete this form another suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patient or Tademank Office, U.S. Department of Commence, P.O. Best 1450, Alexander, A.Z. 2213-1450. DN ONT SEND TESCS OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mall Stop Post Issue, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.